Abam TKS → Osakuni MU
Abarca F → Chica-Olmo M
Abu-Zeid N, Bianchini G, Santarato G, Vaccaro C: Geochemical characterisation and geophysical mapping of Landfill leachates: the Marozzo canal case study (NE Italy) 439
Achet S → Neaupane K
Adamcová R → Miko S
Akgün H, Daemen JJK: Stability of expansive cement grout borehole seals emplaced in the vicinity of underground radioactive waste repositories 1167
Al Kuisi M → El Naqa A
Al-Asheh S, Banat F, Masad A: Kinetics and Equilibrium Sorption Studies of 4-Nitrophenol on pyrolyzed and activated oil shale residue 1109
Aley T → Neill H
Anbazhagan S, Nair AM: Geographic Information System and groundwater quality mapping in Panvel Basin, Maharashtra, India 753
Anderson CR, Turnbull IM, Rosen MR: Microbial ecology and geochemistry of soils containing iron pans 209
Apella MC → Galindo MC
Aragno M → Flynn R
Aragüés R → Causapé J
Arfan M → Tahir Shah M
Atxotegi U, Iqbal MZ, Czarnetzki AC: A preliminary assessment of nitrate degradation in simulated soil environments 161
Aubertin M → Bussière B
Auqué L → Causapé J
Avanzini M → Beretta GP
Axelsson MD → Müller B
Aykol A, Budakoglu M, Kumral M, Gultekin AH, Turhan M, Esenli V, Yavuz F, Orgun Y: Heavy metal pollution and acid drainage from the abandoned Balya Pb-Zn sulfide Mine, NW Anatolia, Turkey 198

Babaua G-R, Stoica A-I, Capota P, Baiulescu G-E: The content of some microelements in mineral waters from Covasna and Harghita Romanian districts 58
Baiulescu G-E → Babaua G-R
Banat F → Al-Asheh S
Barut IF, Erdogan N, Basak E: Hydrogeochemical evaluation of Western Anatolian mineral waters 494
Basak E → Barut IF
Bayless ER, Schulz MS: Mineral precipitation and dissolution at two slag-disposal sites in northwestern Indiana, USA 252
Becker MW → Fredrick KC
Benkabbour B, Toto EA, Fakir Y: Using DC resistivity method to characterize the geometry and the salinity of the Plioquaternary consolidated coastal aquifer of the Mamora plain, Morocco 518
Benzaazoua M → Bussière B
Beretta GP, Avanzini M, Pagotto A: Managing groundwater rise: Experimental results and modelling of water pumping from a quarry lake in Milan urban area (Italy) 600
Bhattacharyya P → Ghosh AK
Bi SP, Gan N, Lu XC, Ni HY, Lin H, Wang XL, Wei ZB: Evaluation of aluminum speciation in surface waters in China and its environmental risk assessment 65
Bianchini G → Abu-Zeid N
Bidegain JC → Chaparro MAE
Blesa MA → Galindo MC
Bradley PM → Landmeyer JE
Brake SS, Jensen RR, Mattox JM: Effects of coal fly ash amended soils on trace element uptake in plants 680
Brown JS → Trefry JH
Brüggemann L → Wennrich R
Budakoglu M → Aykol A
Bullen TD → Landmeyer JE
Burn C → Flynn R
Bussière B, Benzaazoua M, Aubertin M, Mbonimpa M: A laboratory study of covers made of low-sulphide tailings to prevent acid mine drainage 609

Canuti P, Casagli N, Ermini L, Fanti R, Farina P: Landslide activity as a geoindicator in Italy: significance and new perspectives from remote sensing 907
Capota P → Babaua G-R
Cardona A, Carrillo-Rivera JJ, Huizar-Álvarez R, Graniel-Castro E: Salinization in coastal aquifers of arid zones: an example from Santo Domingo, Baja California Sur, Mexico 350
Carey AE → El-Kaddah DN
Carreira PMM → Dilsiz C
Carrillo-Rivera JJ → Cardona A
Casagli N → Canuti P
Causapé J, Auqué L, Gimeno MJ, Mandado J, Quílez D, Aragüés R: Irrigation effects on the salinity of the Arba and Riguel Rivers (Spain): present diagnosis and expected evolution using geochemical models 703
Cavarretta G → Spadoni M
Çetindağ B, Okan ÖÖ: Hydrochemical characteristics and pollution potential of Uluova aquifers, Elazığ, Turkey 796
Chang S → Je C-H
Chaparro MAE, Bidegain JC, Sinito AM, Jurado SS, Gogorza CSG: Magnetic studies applied to different environments (soils and stream sediments) from a relatively polluted area in Buenos Aires Province, Argentina 654
Chaudhuri D, Tripathy S, Veeresh H, Powell MA, Hart BR: Relationship of chemical fractions of heavy metals with microbial and enzyme activities in sludge and ash-amended acid lateritic soil from India 115
Chen H, Chen RH, Yu FC, Chen WS, Hung JJ: The inspection of the triggering mechanism for a hazardous mudflow in an urbanized territory 899
Chen P → Wu Q
Chen RH → Chen H
Chen WS → Chen H
Chen X-H → Weng H-X
Chen Y → Jin Z
Chen Z → Gorenc S
Cheon JY, Lee JY, Lee KK: Characterization of the hydrogeologic environment at a petroleum hydrocarbon contaminated site in Korea 869
Chica-Olmo M, Rodriguez F, Abarca F, Rigol-Sanchez JP, deMiguel E, Gomez JA, Fernandez-Palacios A: Integrated remote sensing and GIS techniques for biogeochemical characterization of the Tinto-Odiel estuary system, SW Spain 834
Cleaves ET: Conceptual model for transferring information between small watersheds 190
Costa AT, Nalini Jr HA, de Lena JC, Friese K, Mages M: Surface water quality and sediment geochemistry in the Gualaxo do Norte basin, eastern Quadrilátero Ferrífero, Minas Gerais, Brazil 226
Čović M → Miko S
Cui P → He YP
Czarnetzki AC → Atxotegi U

Daemen JJK → Akgün H
Das RK → Singh UK

Daus B → Wennrich R
Day MJ: Karstic problems in the construction of Milwaukee's Deep Tunnels 859
de la Fuente C → Gómez ET
de Lena JC → Costa AT
del V Hidalgo M → Galindo MC
deMiguel E → Chica-Olmo M
Dent BB, Forbes SL, Stuart BH: Review of human decomposition processes in soil 576
Devadas DJ → Rao NS
Dilsiz C, Marques JM, Carreira PMM: The impact of hydrological changes on travertine deposits related to thermal springs in the Pamukkale area (SW Turkey) 808
Dong C → Wu S
Dörhöfer G → Wendland F
dos Santos Collares JQ → Zuquette LV
Doyuran V → Süzen ML
Dubíková M → Miko S
Durn G → Miko S
Dworkin SI: The hydrogeochemistry of the Lake Waco drainage basin, Texas 106
Dzombak DA → Mugunthan P

Earman S, Hershey RL: Water quality impacts from waste rock at a Carlin-type gold mine, Elko County, Nevada 1043
Edet AE, Merkel BJ, Offiong OE: Contamination risk assessment of fresh groundwater using the distribution and chemical speciation of some potentially toxic elements in Calabar (southern Nigeria) 1025
Edet AE: Vulnerability evaluation of a coastal plain sand aquifer with a case example from Calabar, southeastern Nigeria 1062
El Banna MM: Nature and human impact on Nile Delta coastal sand dunes, Egypt 690
El Banna MM → Frihy OE
El Kolfat AI → Frihy OE
El Naqa A, Al Kuisi M: Hydrogeochemical modeling of the water seepages through Tannur Dam, southern Jordan 1087
El-Bassiouni MY → Mohamed AMO
El-Kaddah DN, Carey AE: Water quality modeling of the Cahaba River, Alabama 323
Erdogan N → Barut IF
Ermini L → Canuti P
Esenli V → Aykol A
Evans SG → Revellino P

Fakir Y → Benkabbour B
Fanti R → Canuti P
Farina P → Canuti P
Faye S → Faye SC
Faye SC, Faye S, Wohnlich S, Gaye CB: An assessment of the risk associated with urban development in the Thiaroye area (Senegal) 312
Feng Q, Liu W, Su YH, Zhang YW, Si JH: Distribution and evolution of water chemistry in Heihe River basin 947
Fernandez-Palacios A → Chica-Olmo M
Filippi M, Goliáš V, Pertold Z: Arsenic in contaminated soils and anthropogenic deposits at the Mokrsko, Roudný, and Kašperské Hory gold deposits, Bohemian Massif (CZ) 716
Flewelling DM → Fredrick KC
Flynn R, Hunkeler D, Guerin C, Burn C, Rossi P, Aragno M: Geochemical influences on H40/1 bacteriophage inactivation in glaciofluvial sands 504
Forbes SL → Dent BB
Fredrick KC, Becker MW, Flewelling DM, Silavisesrith W, Hart ER: Enhancement of aquifer vulnerability indexing using the analytic-element method 1054
Freyer K → Wennrich R
Friese K → Costa AT
Frihy OE, El Banna MM, El Kolfat AI: Environmental impacts of Baltim and Ras El Bar shore-parallel breakwater systems on the Nile delta littoral zone, Egypt 381
Furuya K → Takeuchi M

Galindo MC, Vece MB, Perondi ME, García MG, del V Hidalgo M, Apella MC, Blesa MA: Natural and anthropic perturbations to the chemical composition of the Colorado River (Tucumán, Argentína) 940
Gan N → Bi SP
García MG → Galindo MC
García-Sánchez E → Jordán MM
Gardner JS → He YP
Gaye CB → Faye SC
Gent CA → Van Gosen BS
Ghosh AK, Bhattacharyya P: Arsenate sorption by reduced and reoxidized rice soils under the influence of organic matter amendments 1010
Gimeno MJ → Causapé J
Gogorza CSG → Chaparro MAE
Goliáš V → Filippi M
Gómez ET, Sanfeliu T, Jordán MM, Rius J, de la Fuente C: Geochemical characteristics of particulate matter in the atmosphere surrounding a ceramic industrialized area 536
Gomez JA → Chica-Olmo M
Gorenc S, Kostaschuk R, Chen Z: Spatial variations in heavy metals on tidal flats in the Yangtze Estuary, China 1101
Graniel-Castro E → Cardona A
Guadagno FM → Revellino P
Guerin C → Flynn R
Gultekin AH → Aykol A
Guo H, Wang Y: Specific vulnerability assessment using the *MLPI* model in Datong city, Shanxi province, China 401
Guo J, Vogt RD, Zhang X, Zhang Y, Seip HM, Tang H: Ca-H-Al exchanges and aluminium mobility in two Chinese acidic forest soils: a batch experiment 1148
Gutiérrez M → Neill H

Hammarstrom JM, Seal II RR, Meier AL, Jackson JC: Weathering of sulfidic shale and copper mine waste: secondary minerals and metal cycling in Great Smoky Mountains National Park, Tennessee, and North Carolina, USA 35
Hanahan C: Dissolution of hydroxide minerals in the 1 M sodium acetate, ph 5, extracting solution in sequential extraction schemes 864
Harris MA, Rengasamy P: Sodium affected subsoils, gypsum, and green-manure: Inter- actions and implications for amelioration of toxic red mud wastes 1118
Hart BR → Praharaj T
Hart BR → Chaudhuri D
Hart ER → Fredrick KC
He K, Wang S: Constituents and features of displacement vector angle of colluvial landslide 279
He YP, Xie H, Cui P, Wei FQ, Zhong DL, Gardner JS: GIS-based hazard mapping and zonation of debris flows in Xiaojiang Basin, southwestern China 286
Henriksen H → Sundal AV
Hershey RL → Earman S

Hodlur GK → Singh UK
Holm TR → Kelly WR
Hou LJ, Liu M, Jiang HY, Xu SY, Ou DN, Liu QM, Zhang BL: Ammonium adsorption by tidal flat surface sediments from the Yangtze Estuary 72
Hu D → Wu S
Huang C-T → Liu C-H
Huizar-Álvarez R → Cardona A
Hummel W: The influence of cyanide complexation on the speciation and solubility of radionuclides in a geological repository 633
Hung JJ → Chen H
Hungr O → Revellino P
Hunkeler D → Flynn R

Iqbal MZ → Atxotegi U
Işık NS → Teoman MB

Jackson JC → Hammarstrom JM
Je C-H, Chang S: Simple approach to estimate flocculent settling velocity in a dilute suspension 1002
Jensen RR → Brake SS
Jiang HY → Hou LJ
Jin Y → Wu S
Jin Z, Chen Y, Wang F, Ogura N: Detection of nitrate sources in urban groundwater by isotopic and chemical indicators, Hangzhou City, China 1017
Jonathan MP, Ram-Mohan V, Srinivasalu S: Geochemical variations of major and trace elements in recent sediments, off the Gulf of Mannar, the southeast coast of India 466
Jordán MM, Navarro-Pedreño J, García-Sánchez E, Mateu J, Juan P: Spatial dynamics of soil salinity under arid and semi-arid conditions: geological and environmental implications 448
Jordán MM → Gómez ET
Juan P → Jordán MM
Jurado SS → Chaparro MAE

Kampunzu HAB → Zhai M
Kapelj S → Miko S
Karadayılar T → Karaman A
Karaman A, Karadayılar T: Identification of karst features using seismic P-wave tomography and resistivity anisotropy measurements 957
Kelly WR, Wehrmann HA, Holm TR, Talbott JL, Skowron LM: Subsurface movement of zinc from contaminated dredge spoils at a periodically flooded site 23
He K, Xu G: Environmental impact of drainage of Dianzi Iron Mine on the groundwater system of the Dawu Water Supply Base 1131
Kifayattullah Q → Tahir Shah M
Kogovšek J, Šebela S: Water tracing through the vadose zone above Postojnska Jama, Slovenia 992
Kostaschuk R → Gorenc S
Kozel R → Schürch M
Kuma JS: Is groundwater in the Tarkwa gold mining district of Ghana potable? 391
Kumral M → Aykol A
Kunkel R → Wendland F

Landmeyer JE, Bradley PM, Bullen TD: Stable lead isotopes reveal a natural source of high lead concentrations to gasoline-contaminated groundwater 12
Lauritzen SE → Sundal AV
Lee JH → Oh MH
Lee JY → Cheon JY
Lee KK → Cheon JY
Lee S: Soil erosion assessment and its verification using the Universal Soil Loss Equation and Geographic Information System: a case study at Boun, Korea 457
Lei W → Wu S
Liao J-J → Liu C-H
Lin H → Bi SP
Liu C-H, Pan Y-W, Liao J-J, Huang C-T, Ouyang S: Characterization of land subsidence in the Choshui River alluvial fan, Taiwan 1154
Liu M → Hou LJ
Liu QM → Hou LJ
Liu W → Feng Q
Lowers HA → Van Gosen BS
Lu X, Zhang X: Study of the radon concentrations in drinking water from three main cities of Shaanxi Province, China 1082
Lu K, Xu L, Tan J, Wang D, Xiang L: Selenium source in the selenosis area of the Daba region, South Qinling Mountain, China 426
Lu XC → Bi SP
Lv H → Peng B

Mages M → Costa AT
Mahlknecht J, Steinich B, Navarro de León I: Groundwater chemistry and mass transfers in the Independence aquifer, central Mexico, by using multivariate statistics and mass-balance models 781
Mandado J → Causapé J
Marques JM → Dilsiz C
Masad A → Al-Asheh S
Mateu J → Jordán MM
Mattox JM → Brake SS
Mattusch J → Wennrich R
Mbonimpa M → Bussière B
McCray JE → Statom RA
McDonough KM → Mugunthan P
McGuinness KA → Rodríguez E
Meier AL → Hammarstrom JM
Merkel BJ → Edet AE
Miko S, Durn G, Adamcová R, Čović M, Dubíková M, Skalský R, Kapelj S, Ottner F: Heavy metal distribution in karst soils from Croatia and Slovakia 262
Modisi MP → Zhai M
Mohamed AMO, Said RA, El-Bassiouni MY: Eigendecomposition of TDR waveforms: a novel method to determine water content and pore fluid concentration of sandy soils 132
Morgenstern P → Wennrich R
Mugunthan P, McDonough KM, Dzombak DA: Geochemical approach to estimate the quality of water entering abandoned underground coalmines 769
Mukherjee PK → Sengupta S
Müller B, Axelsson MD, Öhlander B: Analyses of trace elements on quartz surfaces in sulfidic mine tailings from Kristineberg (Sweden) a few years after remediation 98
Murthy TRS → Rajesh R

Nair AM → Anbazhagan S
Nalini Jr HA → Costa AT
Nanba K → Takeuchi M
Navarro de León I → Mahlknecht J
Navarro-Pedreño J → Jordán MM
Neaupane K, Achet S: Some applications of a backpropagation neural network in geo-engineering 567

Neill H, Gutiérrez M, Aley T: Influences of agricultural practices on water quality of Tumbling Creek cave stream in Taney County, Missouri 550
Neretnieks I → Syrovetnik K
Ni HY → Bi SP
Nirei H → Takeuchi M

Offiong OE → Edet AE
Ogura N → Jin Z
Oh MH, Lee JH, Yoon GL, Park J: Pilot-scale field model tests for detecting landfill leachate intrusion into the subsurface using a grid-net electrical conductivity measurement system 181
Öhlander B → Müller B
Okan ÖÖ → Çetindağ B
Ophori DU → Rodríguez E
Orgun Y → Aykol A
Osakuni MU, Abam TKS: Shallow resistivity measurement for cathodic protection of pipelines in the Niger Delta 747
Ottner F → Miko S
Ou DN → Hou LJ
Ouyang S → Liu C-H
Özacar M, Şengil A: Equilibrium data and process design for adsorption of disperse dyes onto Alunite 762

Pagotto A → Beretta GP
Pal T → Sengupta S
Pan Y-W → Liu C-H
Park J → Oh MH
Paschke A → Wennrich R
Patera A → Spadoni M
Pejon OJ → Zuquette LV
Peng B, Song Z, Tu X, Xiao M, Wu F, Lv H: Release of heavy metals during weathering of the Lower Cambrian Black Shales in western Hunan, China 1137
Perondi ME → Galindo MC
Pertold Z → Filippi M
Phillips JD: Impacts of surface mine valley fills on headwater floods in eastern Kentucky 367
Powell MA → Praharaj T
Powell MA → Chaudhuri D
Praharaj T, Tripathy S, Powell MA, Hart BR: Geochemical studies to delineate topsoil contamination around an ash pond of a coal-based thermal power plant in India 86
Puura E → Syrovetnik K

Quílez D → Causapé J

Rajesh R, Murthy TRS: Groundwater quality and its change over a decade: An analysis of a coastal urban environment from the west coast of India 978
Ram-Mohan V → Jonathan MP
Rao NS, Devadas DJ: Fluoride incidence in groundwater in an area of Peninsular India 243
Rember RD → Trefry JH
Rengasamy P → Harris MA
Revellino P, Hungr O, Guadagno FM, Evans SG: Velocity and runout simulation of destructive debris flows and debris avalanches in pyroclastic deposits, Campania region, Italy 295
Rigol-Sanchez JP → Chica-Olmo M
Rius J → Gómez ET
Rodríguez E, McGuinness KA, Ophori DU: A field evaluation of enhanced reductive dechlorination of chlorinated solvents in ground water, New York Metropolitan Area 623
Rodriguez F → Chica-Olmo M
Romshoo SA: Geostatistical analysis of soil moisture measurements and remotely sensed data at different spatial scales 339
Rosen MR → Anderson CR
Rossi P → Flynn R

Said RA → Mohamed AMO
Sanfeliu T → Gómez ET
Santarato G → Abu-Zeid N
Schotterer U → Schürch M
Schulz MS → Bayless ER
Schürch M, Kozel R, Schotterer U, Tripet J-P: Observation of isotopes in the water cycle–the Swiss National Network (NISOT) 1
Seal II RR → Hammarstrom JM
Šebela S → Kogovšek J
Seip HM → Guo J
Şengil idot; A → Özacar M
Sengupta S, Mukherjee PK, Pal T, Shome S: Nature and origin of arsenic carriers in shallow aquifer sediments of Bengal Delta, India 1071
Shi J → Wu S
Shi L → Wu S
Shome S → Sengupta S
Si JH → Feng Q
Silavisesrith W → Fredrick KC
Singh UK, Das RK, Hodlur GK: Significance of Dar-Zarrouk parameters in the exploration of quality affected coastal aquifer systems 696
Sinito AM → Chaparro MAE
Skalský R → Miko S
Skowron LM → Kelly WR
Soldal O → Sundal AV
Song Z → Peng B
Spadoni M, Cavarretta G, Patera A: Cartographic techniques for mapping the geochemical data of stream sediments: the 'Sample Catchment Basin' approach 593
Srinivasalu S → Jonathan MP
Stärk H-J → Wennrich R
Statom RA, Thyne GD, McCray JE: Temporal changes in leachate chemistry of a municipal solid waste landfill cell in Florida, USA 982
Steinich B → Mahlknecht J
Stoica A-I → Babaua G-R
Strand T → Sundal AV
Stuart BH → Dent BB
Su YH → Feng Q
Sundal AV, Henriksen H, Lauritzen SE, Soldal O, Strand T, Valen V: Geological and geochemical factors affecting radon concentrations in dwellings located on permeable glacial sediments—a case study from Kinsarvik, Norway 843
Sutley SJ → Van Gosen BS
Süzen ML, Doyuran V: A comparison of the GIS based landslide susceptibility assessment methods: multivariate versus bivariate 665
Syrovetnik K, Puura E, Neretnieks I: Accumulation of heavy metals in Oostriku peat bog, Estonia: – site description, conceptual modelling and geochemical modelling of the source of the metals 731

Tahir Shah M, Kifayattullah Q, Arfan M: Pedo and biogeochemical study of Zinc-Lead deposits of the Besham area, northern Pakistan: its implication in mineral exploration and environmental degradation 544

Takeuchi M, Nanba K, Furuya K, Nirei H, Yoshida M: Natural groundwater of a gas field utilizable for a bioremediation of trichloroethylene-contamination 891
Talbott JL → Kelly WR
Tan C → Wu S
Tan J → Lu K
Tang H → Guo J
Teoman MB, Topal T, Işık NS: Assessment of slope stability in Ankara clay: a case study along E90 highway 963
Tetzlaff B → Wendland F
Thyne GD → Statom RA
Topal T → Teoman MB
Toto EA → Benkabbour B
Totolo O → Zhai M
Trefry JH, Rember RD, Trocine RP, Brown JS: Trace metals in sediments near offshore oil exploration and production sites in the Alaskan Arctic 149
Treutler H-C → Wennrich R
Tripathy S → Praharaj T
Tripathy S → Chaudhuri D
Tripet J-P → Schürch M
Trocine RP → Trefry JH
Tu X → Peng B
Turhan M → Aykol A
Turnbull IM → Anderson CR

Uddameri V: Relationships of longitudinal dispersivity and scale developed from fuzzy least-squares regressions 1172

Vaccaro C → Abu-Zeid N
Valen V → Sundal AV
Van Gosen BS, Lowers HA, Sutley SJ, Gent CA: Using the geologic setting of talc deposits as an indicator of amphibole asbestos content 920
Vece MB → Galindo MC
Veeresh H → Chaudhuri D
Vesper DJ, White WB: Spring and conduit sediments as storage reservoirs for heavy metals in karst aquifers 481
Viventsova EA, Voronov AN: Groundwater discharge to the Gulf of Finland (Baltic Sea): ecological aspects 221
Vogt RD → Guo J
Voronov AN → Viventsova EA

Wang D → Lu K
Wang F → Jin Z
Wang S → He K
Wang XL → Bi SP
Wang Y → Guo H
Wehrmann HA → Kelly WR
Wei FQ → He YP
Wei ZB → Bi SP
Weiss H → Wennrich R
Wen X → Wu Y
Wendland F, Kunkel R, Tetzlaff B, Dörhöfer G: GIS-based determination of the mean long-term groundwater recharge in Lower Saxony 273
Weng H-X, Zhang X-M, Chen X-H, Wu N-Y: The stability of the relative content ratios of Cu, Pb and Zn in soils and sediments 79
Wennrich R, Mattusch J, Morgenstern P, Freyer K, Treutler H-C, Stärk H-J, Brüggemann L, Paschke A, Daus B, Weiss H: Characterization of sediments in an abandoned mining area; a case study of Mansfeld region, Germany 818
White WB → Vesper DJ
Wohnlich S → Faye SC
Wu N-Y → Weng H-X
Wu Q, Ye S, Wu X, Chen P: A nonlinear modeling and forecasting system of earth fractures based on coupling of artificial neural network and geographical information system–exemplified by earth fractures in Yuci City, Shanxi, China 124
Wu S, Jin Y, Zhang Y, Shi J, Dong C, Lei W, Shi L, Tan C, Hu D: Investigations and assessment of the landslide hazards of Fengdu county in the reservoir region of the Three Gorges project on the Yangtze River 560
Wu X → Wu Q
Wu Y, Wen X, Zhang Y: Analysis of the exchange of groundwater and river water by using Radon-222 in the middle Heihe Basin of northwestern China 647
Wu Y: Optimal design of a groundwater monitoring network in Daqing, China 527

Xiang L → Lu K
Xiao M → Peng B
Xie H → He YP
Xu G, → He K
Xu L → Lu K
Xu SY → Hou LJ

Yavuz F → Aykol A
Ye S → Wu Q
Yoon GL → Oh MH
Yoshida M → Takeuchi M
Yu FC → Chen H

Zhai M, Kampunzu HAB, Modisi MP, Totolo O: Distribution of heavy metals in Gaborone urban soils (Botswana) and its relationship to soil pollution and bedrock composition 171
Zhang BL → Hou LJ
Zhang X → Lu X
Zhang X → Guo J
Zhang X-M → Weng H-X
Zhang Y → Wu S
Zhang Y → Wu Y
Zhang Y → Guo J
Zhang YW → Feng Q
Zhong DL → He YP
Zuhairi WYW: Sorption capacity on lead, copper and zinc by clay soils from South Wales, United Kingdom 236
Zuquette LV, Pejon OJ, dos Santos Collares JQ: Land degradation assessment based on environmental geoindicators in the Fortaleza metropolitan region, state of Ceará, Brazil 408

Original articles

A comparison of the GIS based landslide susceptibility assessment methods: multivariate versus bivariate: Süzen ML, Doyuran V 665
A field evaluation of enhanced reductive dechlorination of chlorinated solvents in ground water, New York Metropolitan Area: Rodriguez E, McGuinness KA, Ophori DU 623
A laboratory study of covers made of low-sulphide tailings to prevent acid mine drainage: Bussière B, Benzaazoua M, Aubertin M, Mbonimpa M 609
A nonlinear modeling and forecasting system of earth fractures based on coupling of artificial neural network and geographical information system–exemplified by earth fractures in Yuci City, Shanxi, China: Wu Q, Ye S, Wu X, Chen P 124
A preliminary assessment of nitrate degradation in simulated soil environments: Atxotegi U, Iqbal MZ, Czarnetzki AC 161
Accumulation of heavy metals in Oostriku peat bog, Estonia: – site description, conceptual modelling and geochemical modelling of the source of the metals: Syrovetnik K, Puura E, Neretnieks I 731
Ammonium adsorption by tidal flat surface sediments from the Yangtze Estuary: Hou LJ, Liu M, Jiang HY, Xu SY, Ou DN, Liu QM, Zhang BL 72
An assessment of the risk associated with urban development in the Thiaroye area (Senegal): Faye SC, Faye S, Wohnlich S, Gaye CB 312
Analyses of trace elements on quartz surfaces in sulfidic mine tailings from Kristineberg (Sweden) a few years after remediation: Müller B, Axelsson MD, Öhlander B 98
Analysis of the exchange of groundwater and river water by using Radon-222 in the middle Heihe Basin of northwestern China: Wu Y, Wen X, Zhang Y 647
Arsenate sorption by reduced and reoxidized rice soils under the influence of organic matter amendments: Ghosh AK, Bhattacharyya P 1010
Arsenic in contaminated soils and anthropogenic deposits at the Mokrsko, Roudný, and Kašperské Hory gold deposits, Bohemian Massif (CZ): Filippi M, Goliáš V, Pertold Z 716
Assessment of slope stability in Ankara clay: a case study along E90 highway: Teoman MB, Topal T, Işık NS 963
Ca-H-Al exchanges and aluminium mobility in two Chinese acidic forest soils: a batch experiment: Guo J, Vogt RD, Zhang X, Zhang Y, Seip HM, Tang H 1148
Cartographic techniques for mapping the geochemical data of stream sediments: the 'Sample Catchment Basin' approach: Spadoni M, Cavarretta G, Patera A 593
Characterization of land subsidence in the Choshui River alluvial fan, Taiwan: Liu C-H, Pan Y-W, Liao J-J, Huang C-T, Ouyang S 1154
Characterization of sediments in an abandoned mining area; a case study of Mansfeld region, Germany: Wennrich R, Mattusch J, Morgenstern P, Freyer K, Treutler H-C, Stärk H-J, Brüggemann L, Paschke A, Daus B, Weiss H 818
Characterization of the hydrogeologic environment at a petroleum hydrocarbon contaminated site in Korea: Cheon JY, Lee JY, Lee KK 869
Conceptual model for transferring information between small watersheds: Cleaves ET 190
Constituents and features of displacement vector angle of colluvial landslide: He K , Wang S 279
Contamination risk assessment of fresh groundwater using the distribution and chemical speciation of some potentially toxic elements in Calabar (southern Nigeria): Edet AE, Merkel BJ, Offiong OE 1025
Detection of nitrate sources in urban groundwater by isotopic and chemical indicators, Hangzhou City, China: Jin Z, Chen Y, Wang F, Ogura N 1017
Dissolution of hydroxide minerals in the 1 M sodium acetate, ph 5, extracting solution in sequential extraction schemes: Hanahan C 864
Distribution and evolution of water chemistry in Heihe River basin: Feng Q, Liu W, Su YH, Zhang YW, Si JH 947
Distribution of heavy metals in Gaborone urban soils (Botswana) and its relationship to soil pollution and bedrock composition: Zhai M, Kampunzu HAB, Modisi MP, Totolo O 171
Effects of coal fly ash amended soils on trace element uptake in plants: Brake SS, Jensen RR, Mattox JM 680
Eigendecomposition of TDR waveforms: a novel method to determine water content and pore fluid concentration of sandy soils: Mohamed AMO, Said RA, El-Bassiouni MY 132
Enhancement of aquifer vulnerability indexing using the analytic-element method: Fredrick KC, Becker MW, Flewelling DM, Silavisesrith W, Hart ER 1054
Environmental impact of drainage of Dianzi Iron Mine on the groundwater system of the Dawu Water Supply Base: He K, Xu G, 1131
Environmental impacts of Baltim and Ras El Bar shore-parallel breakwater systems on the Nile delta littoral zone, Egypt: Frihy OE, El Banna MM, El Kolfat AI 381
Equilibrium data and process design for adsorption of disperse dyes onto Alunite: Özacar M, Şengil A 762
Evaluation of aluminum speciation in surface waters in China and its environmental risk assessment: Bi SP, Gan N, Lu XC, Ni HY, Lin H, Wang XL, Wei ZB 65
Fluoride incidence in groundwater in an area of Peninsular India: Rao NS, Devadas DJ 243
Geochemical approach to estimate the quality of water entering abandoned underground coalmines: Mugunthan P, McDonough KM, Dzombak DA 769
Geochemical characterisation and geophysical mapping of Landfill leachates: the Marozzo canal case study (NE Italy): Abu-Zeid N, Bianchini G, Santarato G, Vaccaro C 439
Geochemical characteristics of particulate matter in the atmosphere surrounding a ceramic industrialized area: Gómez ET, Sanfeliu T, Jordán MM, Rius J, de la Fuente C 536
Geochemical influences on H40/1 bacteriophage inactivation in glaciofluvial sands: Flynn R, Hunkeler D, Guerin C, Burn C, Rossi P, Aragno M 504
Geochemical studies to delineate topsoil contamination around an ash pond of a coal-based thermal power plant in India: Praharaj T, Tripathy S, Powell MA, Hart BR 86
Geochemical variations of major and trace elements in recent sediments, off the Gulf of Mannar, the southeast coast of India: Jonathan MP, Ram-Mohan V, Srinivasalu S 466
Geographic Information System and groundwater quality mapping in Panvel Basin, Maharashtra, India: Anbazhagan S, Nair AM 753
Geological and geochemical factors affecting radon concentrations in dwellings located on permeable glacial sediments—a case study from Kinsarvik, Norway: Sundal AV, Henriksen H, Lauritzen SE, Soldal O, Strand T, Valen V 843
Geostatistical analysis of soil moisture measurements and remotely sensed data at different spatial scales: Romshoo SA: 339
GIS-based determination of the mean long-term groundwater recharge in Lower Saxony: Wendland F, Kunkel R, Tetzlaff B, Dörhöfer G 273

GIS-based hazard mapping and zonation of debris flows in Xiaojiang Basin, southwestern China: He YP, Xie H, Cui P, Wei FQ, Zhong DL, Gardner JS 286
Groundwater chemistry and mass transfers in the Independence aquifer, central Mexico, by using multivariate statistics and mass-balance models: Mahlknecht J, Steinich B, Navarro de León I 781
Groundwater discharge to the Gulf of Finland (Baltic Sea): ecological aspects: Viventsova EA, Voronov AN 221
Groundwater quality and its change over a decade: An analysis of a coastal urban environment from the west coast of India: Rajesh R, Murthy TRS 978
Heavy metal distribution in karst soils from Croatia and Slovakia: Miko S, Durn G, Adamcová R, Čović M, Dubíková M, Skalský R, Kapelj S, Ottner F 262
Heavy metal pollution and acid drainage from the abandoned Balya Pb-Zn sulfide Mine, NW Anatolia, Turkey: Aykol A, Budakoglu M, Kumral M, Gultekin AH, Turhan M, Esenli V, Yavuz F, Orgun Y 198
Hydrochemical characteristics and pollution potential of Uluova aquifers, Elazığ, Turkey: Çetindağ B, Okan ÖÖ 796
Hydrogeochemical evaluation of Western Anatolian mineral waters: Barut IF, Erdogan N, Basak E: 494
Hydrogeochemical modeling of the water seepages through Tannur Dam, southern Jordan: El Naqa A, Al Kuisi M 1087
Identification of karst features using seismic P-wave tomography and resistivity anisotropy measurements: Karaman A, Karadayılar T 957
Impacts of surface mine valley fills on headwater floods in eastern Kentucky: Phillips JD 367
Influences of agricultural practices on water quality of Tumbling Creek cave stream in Taney County, Missouri: Neill H, Gutierrez M, Aley T 550
Integrated remote sensing and GIS techniques for biogeochemical characterization of the Tinto-Odiel estuary system, SW Spain: Chica-Olmo M, Rodriguez F, Abarca F, Rigol-Sanchez JP, deMiguel E, Gomez JA, Fernandez-Palacios A 834
Investigation and assessment of the landslide hazards of fengdu county in the reservoir region of the Three Garges project on the Yangtze River: Wu S, Jin Y, Zhang Y, Shi J, Dong C, Lei W, Shi L, Tan C, Hu D 560
Irrigation effects on the salinity of the Arba and Riguel Rivers (Spain): present diagnosis and expected evolution using geochemical models: Causapé J, Auqué L, Gimeno MJ, Mandado J, Quílez D, Aragüés R 703
Is groundwater in the Tarkwa gold mining district of Ghana potable?: Kuma JS 391
Karstic problems in the construction of Milwaukee's Deep Tunnels: Day MJ 859
Kinetics and Equilibrium Sorption Studies of 4-Nitrophenol on pyrolyzed and activated oil shale residue: Al-Asheh S, Banat F, Masad A 1109
Land degradation assessment based on environmental geoindicators in the Fortaleza metropolitan region, state of Ceará, Brazil: Zuquette LV, Pejon OJ, dos Santos Collares JQ 408
Landslide activity as a geoindicator in Italy: significance and new perspectives from remote sensing: Canuti P, Casagli N, Ermini L, Fanti R, Farina P 907
Magnetic studies applied to different environments (soils and stream sediments) from a relatively polluted area in Buenos Aires Province, Argentina: Chaparro MAE, Bidegain JC, Sinito AM, Jurado SS, Gogorza CSG 654
Managing groundwater rise: Experimental results and modelling of water pumping from a quarry lake in Milan urban area (Italy): Beretta GP, Avanzini M, Pagotto A 600
Microbial ecology and geochemistry of soils containing iron pans: Anderson CR, Turnbull IM, Rosen MR 209
Mineral precipitation and dissolution at two slag-disposal sites in northwestern Indiana, USA: Bayless ER, Schulz MS 252
Natural and anthropic perturbations to the chemical composition of the Colorado River (Tucumán, Argentina): Galindo MC, Vece MB, Perondi ME, García MG, del V Hidalgo M, Apella MC, Blesa MA 940
Natural groundwater of a gas field utilizable for a bioremediation of trichloroethylene-contamination: Takeuchi M, Nanba K, Furuya K, Nirei H, Yoshida M 891
Nature and human impact on Nile Delta coastal sand dunes, Egypt: El Banna MM 690
Nature and origin of arsenic carriers in shallow aquifer sediments of Bengal Delta, India: Sengupta S, Mukherjee PK, Pal T, Shome S 1071
Observation of isotopes in the water cycle–the Swiss National Network (NISOT): Schürch M, Kozel R, Schotterer U, Tripet J-P 1
Optimal design of a groundwater monitoring network in Daqing, China: Wu Y 527
Pedo and biogeochemical study of Zinc-Lead deposits of the Besham area, northern Pakistan: its implication in mineral exploration and environmental degradation: Tahir Shah M, Kifayattullah Q, Arfan M 544
Pilot-scale field model tests for detecting landfill leachate intrusion into the subsurface using a grid-net electrical conductivity measurement system: Oh MH, Lee JH, Yoon GL, Park J 181
Relationship of chemical fractions of heavy metals with microbial and enzyme activities in sludge and ash-amended acid lateritic soil from India: Chaudhuri D, Tripathy S, Veeresh H, Powell MA, Hart BR 115
Relationships of longitudinal dispersivity and scale developed from fuzzy least-squares regressions: Uddameri V 1172
Release of heavy metals during weathering of the Lower Cambrian Black Shales in western Hunan, China: Peng B, Song Z, Tu X, Xiao M, Wu F, Lv H 1137
Review of human decomposition processes in soil: Dent BB, Forbes SL, Stuart BH 576
Salinization in coastal aquifers of arid zones: an example from Santo Domingo, Baja California Sur, Mexico: Cardona A, Carrillo-Rivera JJ, Huizar-Álvarez R, Graniel-Castro E 350
Selenium source in the selenosis area of the Daba region, South Qinling Mountain, China: Lu K, Xu L, Tan J, Wang D, Xiang L 426
Shallow resistivity measurement for cathodic protection of pipelines in the Niger Delta: Osakuni MU, Abam TKS 747
Significance of Dar-Zarrouk parameters in the exploration of quality affected coastal aquifer systems: Singh U K, Das R K, Hodlur G K 696
Simple approach to estimate flocculent settling velocity in a dilute suspension: Je C-H, Chang S 1002
Sodium affected subsoils, gypsum, and green-manure: Interactions and implications for amelioration of toxic red mud wastes: Harris MA, Rengasamy P 1118
Soil erosion assessment and its verification using the Universal Soil Loss Equation and Geographic Information System: a case study at Boun, Korea: Lee S 457
Some applications of a backpropagation neural network in geo-engineering: Neaupane K, Achet S 567
Sorption capacity on lead, copper and zinc by clay soils from South Wales, United Kingdom: Zuhairi WYW 236

Spatial dynamics of soil salinity under arid and semi-arid conditions: geological and environmental implications: Jordán MM, Navarro-Pedreño J, García-Sánchez E, Mateu J, Juan P 448
Spatial variations in heavy metals on tidal flats in the Yangtze Estuary, China: Gorenc S, Kostaschuk R, Chen Z 1101
Specific vulnerability assessment using the *MLPI* model in Datong city, Shanxi province, China: Guo H, Wang Y 401
Spring and conduit sediments as storage reservoirs for heavy metals in karst aquifers: Vesper DJ, White WB: 481
Stability of expansive cement grout borehole seals emplaced in the vicinity of underground radioactive waste repositories: Akgün H, Daemen JJK 1167
Stable lead isotopes reveal a natural source of high lead concentrations to gasoline-contaminated groundwater: Landmeyer JE, Bradley PM, Bullen TD 12
Study of the radon concentrations in drinking water from three main cities of Shaanxi Province, China: Lu X, Zhang X 1082
Subsurface movement of zinc from contaminated dredge spoils at a periodically flooded site: Kelly WR, Wehrmann HA, Holm TR, Talbott JL, Skowron LM 23
Surface water quality and sediment geochemistry in the Gualaxo do Norte basin, eastern Quadrilátero Ferrífero, Minas Gerais, Brazil: Costa AT, Nalini Jr HA, de Lena JC, Friese K, Mages M 226
Temporal changes in leachate chemistry of a municipal solid waste landfill cell in Florida, USA: Statom RA, Thyne GD, McCray JE 982
The content of some microelements in mineral waters from Covasna and Harghita Romanian districts: Babaua G-R, Stoica A-I, Capota P, Baiulescu G-E 58
The hydrogeochemistry of the Lake Waco drainage basin, Texas: Dworkin SI 106
The impact of hydrological changes on travertine deposits related to thermal springs in the Pamukkale area (SW Turkey): Dilsiz C, Marques JM, Carreira PMM 808
The influence of cyanide complexation on the speciation and solubility of radionuclides in a geological repository: Hummel W 633
The inspection of the triggering mechanism for a hazardous mudflow in an urbanized territory: Chen H, Chen RH, Yu FC, Chen WS, Hung JJ 899
The stability of the relative content ratios of Cu, Pb and Zn in soils and sediments: Weng H-X, Zhang X-M, Chen X-H, Wu N-Y 79
Trace metals in sediments near offshore oil exploration and production sites in the Alaskan Arctic: Trefry JH, Rember RD, Trocine RP, Brown JS 149
Using DC resistivity method to characterize the geometry and the salinity of the Plioquaternary consolidated coastal aquifer of the Mamora plain, Morocco: Benkabbour B, Toto EA, Fakir Y 518
Using the geologic setting of talc deposits as an indicator of amphibole asbestos content: Van Gosen BS, Lowers HA, Sutley SJ, Gent CA 920
Velocity and runout simulation of destructive debris flows and debris avalanches in pyroclastic deposits, Campania region, Italy: Revellino P, Hungr O, Guadagno FM, Evans SG 295
Vulnerability evaluation of a coastal plain sand aquifer with a case example from Calabar, southeastern Nigeria: Edet AE 1062
Water quality impacts from waste rock at a Carlin-type gold mine, Elko County, Nevada: Earman S, Hershey RL 1043
Water quality modeling of the Cahaba River, Alabama: El-Kaddah DN, Carey AE 323
Water tracing through the vadose zone above Postojnska Jama, Slovenia: Kogovšek J, Šebela S 992
Weathering of sulfidic shale and copper mine waste: secondary minerals and metal cycling in Great Smoky Mountains National Park, Tennessee, and North Carolina, USA: Hammarstrom JM, Seal II RR, Meier AL, Jackson JC 35

Views & News

586, 884, 1036

Book reviews

144, 294, 433, 587, 741, 885, 1037, 1179

Events

146, 435, 589, 743, 887, 1039, 1181